IMPORTANT INFORMATION

(This report must be printed in Landscape Orientation to prevent cutting off of text)

The following pages comprise the Annual Consumer Confidence Report (CCR) for your water system.

To download the CCR into your word processing program follow these steps (Remember you must have the document set up in Landscape Orientation):

- Choose Select All from the edit dropdown MENU, (it will highlight all the information).
- Choose Edit from the MENU, select Copy from the edit dropdown MENU.
- Open your word processing program.
- Choose Edit from the MENU, select Paste from the edit dropdown MENU and the information will transfer.
- · Choose Edit from the MENU.

In order to meet all of the requirements of the CCR, you <u>must</u> include the following additional information if it pertains to your water system.

- The report must include the telephone number of the owner, operator, or designee of the community water system as a source of additional information concerning the report.
- In communities with a large proportion of non-English speaking residents, as determined by the Primacy Agency, the report must contain information in the appropriate language(s) regarding the importance of the report or contain a telephone number or address where such residents may contact the system to obtain a translated copy of the report and/or assistance in the appropriate language.
- The report must include information about opportunities for public participation in decisions that may affect the quality of the water (e.g., time and place of regularly scheduled board meetings).
- If your water system purchases water from another source, you are required to include the current CCR year's Regulated Contaminants Detected table from your source water supply.
- If your water system had any violations during the current CCR Calendar year, you are required to include an explanation of the corrective action taken by the water system.
- If your water system is going to use the CCR to deliver a Public Notification, you must include the full public notice and return a copy of the CCR and Public Notice with the Public Notice Certification Form. This is in addition to the copy and certification form required by the CCR Rule.

- The information about likely sources of contamination provided in the CCR is generic. Specific information regarding contaminants may be available in sanitary surveys and source water assessments and should be used
- If a community water system distributes water to its customers from multiple hydraulically independent distribution systems fed by different raw water sources, the table should contain a separate column for each service area, and the report should identify each separate distribution system. Alternatively, systems may produce separate reports tailored to include data for each service area.
- Detections of unregulated contaminants for which monitoring is required are not included in the CCR and must be added. When added, the information must include the average and range at which the contaminant was detected.
- If a water system has performed any monitoring for Cryptosporidium, including monitoring performed to satisfy the requirements of the Information Collection Rule [ICR] (§141.143), which indicates that Cryptosporidium may be present in the source water or the finished water, the report must include: (a) a summary of the results of the monitoring; and (b) an explanation of the significance of the results.
- If a water system has performed any monitoring for radon which indicates that radon may be present in the finished water, the report must include: (a) The results of the monitoring; and (b) An explanation of the significance of the results.
- If a water system has performed additional monitoring which indicates the presence of other contaminants in the finished water, EPA strongly encourages systems to report any results which may indicate a health concern. To determine if results may indicate a health concern, EPA recommends that systems find out if EPA has proposed an NPDWR or issued a health advisory for that contaminant by calling the Safe Drinking Water Hotline (800-426-4791). EPA considers detects above a proposed MCL or health advisory level to indicate possible health concerns. For such contaminants, EPA recommends that the report include: (a) the results of the monitoring; and (b) an explanation of the significance of the results noting the existence of a health advisory or a proposed regulation.

Annual Drinking Water Quality Report

LA SALLE

IL0990300

For more information regarding this report contact:

Annual Water Quality Report for the period of January 1 to December $31,\ 2008$

The source of drinking water used by LA SALLE is Ground Water

Name				 	

Este informe contiene información muy importante sobre el agua que usted bebe. Tradúzcalo ó hable con alguien que lo entienda bien.

This report is intended to provide you with important information about your drinking water and the efforts made by the water system to provide safe drinking water.

Source of Drinking Water

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pickup substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- Radioactive contaminants, which can be naturally -occurring or be the result of oil and gas production and mining activities.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPAs Safe Drinking Water Hotline at (800) 426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Source Water Information

Source Water Name		Type of Water	Report Status	Location
WELL 10 (01112)		GW		
WELL 11 (01551)	SOUTH OF WELL 9	GW		
WELL 12 (01762)		GW		180' W OF OLD ILLINOIS CENTRAL RAILROAD & 300'N OF IL RIVER
WELL 4 (11465)		GW		
WELL 6 (11467)		GW		
WELL 8 (00604)		GW		
WELL 9 (00815)		GW		

Source Water Assessment

We want our valued customers to be informed about their water quality. If you would like to learn more, please feel welcome to attend any of our regularly scheduled meetings. The source water assessment for our supply has been completed by the Illinois EPA. If you would like a copy of this information, please stop by City Hall or call our water operator at ________. To view a summary version of the completed Source Water Assessments, including: Importance of Source Water; Susceptibility to Contamination Determination; and documentation/recommendation of Source Water Protection Efforts, you may access the Illinois EPA website at http://www.epa.state.il.us/cgi-bin/wp/swap-fact-sheets.pl.

To determine LaSalle's susceptibility to groundwater contamination, a Well Site Survey, published in 1990 by the Illinois EPA, was reviewed. Based on the information contained in this document, five potential sources of groundwater contamination are present that could pose a hazard to groundwater pumped by the LaSalle community water supply wells. These include a ready mix/cement, two machine shops/sheds, an inactive auto repair, and an inactive water treatment plant. The Illinois EPA has determined that LaSalle Wells #4, #6, #8, #9, and #10 are susceptible to contamination. The basis for this susceptibility determination is the location of non-point sources related to agricultural land use and the location of potential sources within the recharge area of the wells.

Lead and Copper

Definitions:

Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow. ---- If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily frommaterials and components associated with service lines and home plumbing. We are responsible for providing high quality drinking water, but we cannot control thevariety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushingyour tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your watertested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline orat http://www.epa.gov/safewater/lead.----

Action Level Goal (ALG): The level of a contaminant in drinking water below which there is no known or expected risk to health. ALGs allow for a margin of

safety.

Lead and Copper	Date Sampled	MCLG	Action Level (AL)	90th Percentile	# Sites Over AL	Units	Violation	Likely Source of Contamination
Copper		1.3	1.3	0.99	0	ppm		Erosion of natural deposits; Leaching from wood preservatives; Corrosion of household plumbing systems.
Lead		0	15	4	1	ppb		Corrosion of household plumbing systems; Erosion of natural deposits.

Water Quality Test Results

Maximum Contaminant Level Goal or MCLG: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Contaminant Level or MCL: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible

using the best available treatment technology.

Maximum residual disinfectant level The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not goal or MRDLG:

reflect the benefits of the use of disinfectants to control microbial contaminants.

Maximum residual disinfectant level or The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a MRDL: disinfectant is necessary for control of microbial contaminants.

milligrams per liter or parts per million - or one ounce in 7,350 gallons of water. : mag

ppb: micrograms per liter or parts per billion - or one ounce in 7,350,000 gallons of water.

na: not applicable.

Avg: Regulatory compliance with some MCLs are based on running annual average of monthly samples.

Definitions: The following tables contain scientific terms and measures, some of which may require explanation.

Regulated Contaminants

Fluoride 0.75 0.75 - 0.75 4 4.0 ppm N Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories. Manganese 36 36 - 36 150 150 ppb N Erosion from naturally occuring deposits. Nitrate [measured as Nitrogen] 1.6 - 1.6 10 10 ppm N Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits. Selenium 2.8 2.8 - 2.8 50 50 ppb N Discharge from petroleum and metal refineries Erosion of natural deposits; Discharge from mines.									
Haloacetic acids 09/18/2007 28 28 28 28 28 28 28 2	Disinfection By-		_	_	MCLG	MCL	Units	Violation	Likely Source of Contamination
the total Not all sample results may have been used for calculating the Highest Level Detected because some results may be part of an evaluation to determine where compliance sampling should occur in the future Total Trihalomethanes 07/18/2007 48.5 48.5 48.5 48.5 No goal for the total total	Chlorine		3.8	0.6 - 3.8	MRDLG = 4	MRDL = 4	ppm	N	Water additive used to control microbes.
Contamination Contaminatio		09/18/2007	28	28 - 28	-	60	ppb	N	By-product of drinking water chlorination.
Social Trihalomethanes 07/18/2007 48.5 48.5 - 48.5 No goal for the total (YTYRM)* No soal Trihalomethanes (YTYRM)* No soal Trihalomethanes (YTYRM)* No soal Trihalomethanes (YTYRM)* No soal Seminary (YTYRM)*					st Level Detec	cted because s	ome results	may be part	t of an evaluation to
Therefore the where compliance sampling should occur in the future Inorganic Collection Date Highest Level Range of Levels MCLG MCL Units Violation Likely Source of Contamination Barium 0.14 0.14 - 0.14 2 2 ppm N Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposites Fluoride 0.75 0.75 - 0.75 4 4.0 ppm N Erosion of natural deposite; Nater additive which promotes strong teeth; Discharge from fertilizer and aluminum factories. Manganese 36 36 - 36 150 150 ppb N Erosion from naturally occuring deposits. Nitrate [measured as Nitrogen] N Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits; Discharge from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits. Selenium 2.8 2.8 - 2.8 50 50 ppb N Discharge from petroleum and metal refineries Sodium 52 52 - 52 ppm N Erosion from naturally occuring deposits; Use in water softener regeneration. Synthetic organic contaminants including penticides and herbicides Soulding penticides and herbicides	Total Trihalomethanes			i e		80	ppb	N	By-product of drinking water chlorination.
Inorganic Contaminants					st Level Detec	cted because s	ome results	may be part	t of an evaluation to
Fluoride 0.75	Inorganic	Collection	Highest Level	Range of Levels	MCLG	MCL	Units	Violation	Likely Source of Contamination
which promotes strong teeth; Discharge from fertilizer and aluminum factories. Manganese 36 36 - 36 150 150 ppb N Erosion from naturally occuring deposits. Nitrate [measured as Nitrogen] 2 1.6 - 1.6 10 10 ppm N Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits. Selenium 2.8 2.8 - 2.8 50 50 ppb N Discharge from petroleum and metal refineries Erosion of natural deposits; Discharge from mines. Sodium 52 52 - 52 ppm N Erosion from naturally occuring deposits: Use in water softener regeneration. Zinc 0.0088 0.0088 - 0.0088 5 5 ppm N Erosion from naturally occuring deposits. Synthetic organic contaminants including pesticides and herbicides	Barium		0.14	0.14 - 0.14	2	2	ppm	N	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits.
Nitrate [measured as Nitrogen] 2 1.6 - 1.6 10 10 ppm N Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits. Selenium 2.8 2.8 - 2.8 50 50 ppb N Discharge from petroleum and metal refineries Erosion of natural deposits; Discharge from mines. Sodium 52 52 - 52 ppm N Erosion from naturally occurring deposits: Use in water softener regeneration. Zinc 0.0088 0.0088 - 0.0088 5 5 ppm N Erosion from naturally occurring deposits. Synthetic organic contaminants including pesticides and herbicides	Fluoride		0.75	0.75 - 0.75	4	4.0	mqq	N	which promotes strong teeth; Discharge from
Nitrogen] Selenium 2.8 2.8 - 2.8 50 50 ppb N Discharge from petroleum and metal refineries Erosion of natural deposits. Sodium 52 52 - 52 ppm N Erosion from naturally occuring deposits: Use in water softener regeneration. Zinc 0.0088 0.0088 - 0.0088 5 5 ppm N Erosion from naturally occuring deposits. Synthetic organic contaminants including pesticides and herbicides Collection Date Date Collected Detected Detected Detected Detected MCLG MCL Units Violation Likely Source of Contamination Likely Source of Contamination	Manganese		36	36 - 36	150	150	ppb	N	Erosion from naturally occuring deposits.
Erosion of natural deposits; Discharge from mines. Sodium 52 52 - 52 ppm N Erosion from naturally occuring deposits: Use in water softener regeneration. Zinc 0.0088 0.0088 - 0.0088 5 5 ppm N Erosion from naturally occuring deposits: Use in water softener regeneration. Synthetic organic contaminants including pesticides and herbicides Collection Date Detected Dete			2	1.6 - 1.6	10	10	ppm	N	septic tanks, sewage; Erosion of natural
Zinc 0.0088 0.0088 - 0.0088 5 5 ppm N Erosion from naturally occuring deposits. Synthetic organic contaminants including pesticides and herbicides	Selenium		2.8	2.8 - 2.8	50	50	ppb	N	
Synthetic organic contaminants Date Detected Det	Sodium		52	52 - 52			ppm	N	Erosion from naturally occuring deposits: Used in water softener regeneration.
contaminants Date Detected Detected including pesticides and herbicides	Zinc		0.0088	0.0088 - 0.0088	5	5	mqq	N	Erosion from naturally occuring deposits.
	contaminants including pesticides		_	_	MCLG	MCL	Units	Violation	Likely Source of Contamination
			0.45	0 - 0.45	3	3	ppb	N	Runoff from herbicide used on row crops.

Simazine	2.6	0 - 2.6	4	4	ppb	N	Herbicide runoff.